



## Dry Age cabinet 63



- ▶ Perfect climatic conditions for maturing meat
  - ✓ Air humidity can be regulated in 1 % steps
  - ✓ Temperature can be regulated in 1 °C steps
- ▶ Suitable for hanging and horizontal maturation of high-quality pork, beef and venison



### Description

Top-quality tasty meat - this Dry Age cabinet provides perfect conditions for meat maturation.

### Features

- |                           |                          |
|---------------------------|--------------------------|
| • Material inside:        | Stainless steel          |
| • Colour:                 | Black                    |
| • Content:                | 63 litre(s)              |
| • Size inside:            | W 310 x D 370 x H 480 mm |
| • Temperature range:      | 2 °C to 14 °C            |
| • Temperature control:    | Electronic               |
|                           | In 1 °C steps            |
| • Humidity:               | 50 % to 85 %             |
| • Temperature regulation: | In 1 % steps             |
| • Number of filters:      | 1                        |
| • Filter type:            | Activated carbon         |
| • Thermostat:             | Yes                      |
| • Insulation:             | Cyclopentane C5H10       |
| • UV lamp:                | Yes                      |
| • Water reservoir:        | 300 ml                   |
| • Cooling:                | Circulating air          |
| • Coolant:                | R600a / 0,023 kg         |

- ▶ Sterilisation of interior using UV light before, during and after the maturation process

▶ Continue on the next page



## Dry Age cabinet 63



- Climate class: ST
- Ambient temperature: 18 °C to 38 °C
- GWP: 3
- Automatic defrosting function: No
- Drip water evaporation: Yes
- Type of intermediate shelves: Grilles
- Number of intermediate shelves: 4
- Size Clipboard: W 295 x D 245 mm
- Height-adjustable intermediate shelves: Yes
- Load-bearing capacity of intermediate shelves max.: 15 kg
- Rod size: W 295 x D 305 x H 30 mm
- Support load per suspended rack: 20 kg
- Lockable: Yes
- Interior lighting: LED
- Digital display: Yes
- Control unit: Touch
- Number of doors: 1
- Type of door: Leaf door, glass
- Type of glass: Triple glazing  
Tinted  
UV filter glass
- Safety glass: Yes
- Door hinge side: Right
- Door hinge side can be changed: No
- Height-adjustable feet: Yes
- ON/OFF switch: Yes
- Control lamp: -
- Properties: Antibacterial UV light  
Odour neutralisation thanks to activated carbon filters
- Including: 1 activated carbon filter  
1 drip tray  
1 handle with assembly material  
1 suspended rack + 3 meat hooks  
2 keys  
4 stainless steel racks  
1 Humidity filter + 1 spare filter + holder + drip tray
- Power load: 0.135 kW | 230 V | 50 Hz
- Material: Glass  
Steel plate
- Important information: -
- Size: W 395 x D 605 x H 880 mm
- Weight: 40.6 kg



## Dry Age cabinet 63 Add on Products

### Infrared thermometer D5500



- |                            |  |
|----------------------------|--|
| • Design:                  | Digital  |
| • Size of display field:   | W 24 x H 23 mm   |
| • With temperature sensor: | No   |
| • Designed for:            | Surface temperature measurements (infrared)<br>Temperature monitoring during transport and storage |

Code-No. 292059  
GTIN 4015613885797